

PLANING
Samba parameters
Traducción en wikimedia + UbuntuServer + Exposición.

G R U P O S

Los grupos los organizan los alumnos con tantos componentes como determine el profesor. El profesor se reserva el derecho de hacer cambios en las agrupaciones propuestas. Se sortea el orden de elección y cada grupo elige el orden de exposición y el bloque de parámetros (esto último se identifica con la IP). La exposición de cada grupo durará +/- una hora.

| Orden | Día | IP | Nombre del grupo | Componentes | Observaciones |
|-------|----------|----|------------------|---------------------------------|---------------|
| 1 | 10/02/20 | 11 | I | Benito & Dani Miranda (bd) | |
| 2 | 10/02/20 | 25 | F | Victor & Israel (pacocruz) | |
| 3 | 11/02/20 | 20 | B | Somodevilla & Carlos (cache) | |
| 4 | 12/02/20 | 12 | D | Cantero & David Argüello (ds) | |
| 5 | 12/02/20 | 16 | A | Rando & Sergio Ortiz (serrano) | |
| 6 | 13/02/20 | 22 | E | Fran & Clemente (juanfran) | |
| 7 | 13/02/20 | 24 | C | Gavira & Javi Sanchez (fashion) | |
| 8 | 16/02/20 | 13 | G | Esteban & Jose Manuel (manues) | |
| 9 | 16/02/20 | 14 | H | Jauregui & Cuenca (sambacubana) | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |

PLANING
Samba parameters
Traducción en wikimedia + UbuntuServer + Exposición.

Criterios de evaluación y calificación

| | <u>(Tipo cal./ Max.)</u> | | | <u>(Tipo cal./ Max.)</u> |
|--|--------------------------|---|--|--------------------------|
| (1) VM alojada 192.168.50.90 y dotada de un vdi de 8Gb | grupo (0.50) | (6) Aspecto y maquetación del contenido de la wiki. | | grupo (1.50) |
| (2) Admite login remoto con ssh y usuario root. | grupo (0.50) | (7) Traducción/transcripción trabajada con aportaciones propias del alumno. | | grupo (1.50) |
| (3) Es UbuntuServer sin incluir ningún perfil de software | grupo (0.50) | (8) Muestra un ejemplo de funcionamiento de al menos 2 parámetros. | | Indiv. (1.50) |
| (4) Funciona <i>wikimedia</i> apuntando sólo a la IP asignada. | grupo (0.50) | (9) Calidad, conocimiento y desenvoltura en la exposición. | | Indiv. (2.50) |
| (5) Funciona la indexación de contenidos. | grupo (0.50) | | | |

Hay que superar todos los apartados (1) a (5) para optar a los puntos de (6) a (10).

| IP/Internet port -> 80 | <u>Documento base para obtener información sobre los parámetros (no debe ser el único)</u> | | |
|----------------------------------|---|---|---|
| | PARAMETERS | | |
| 11/8011 | write list allow unsafe cluster upgrade lpq command hosts deny root directory locking debug prefix timestamp csc policy null passwords server max protocol | winbind separator acl check permissions max stat cache size nbt port cups server init logon delayed hosts lock directory rpc server port debug pid printjob username | logon drive smb encrypt getwd cache level2 oplocks inherit owner share backend inherit permissions write cache size pam password change admin users |
| 12/8012 | aio max threads delete user from group script winsdb:dbnosync remote announce magic output block size access based share enum show add printer wizard load printers remote browse sync | comment winbind max clients machine password timeout os level max connections time server inherit acls usershare owner only pid directory printcap name | mdns name ncalrpc dir rpc_server:SERVER client schannel wreplsrv:scavenging_interval smb2 max credits server string log file samba kcc command krb5 port |
| 13/8013 | spn update command invalid users tls certfile root postexec obey pam restrictions username level add group script NIS homedir client ipc max protocol client lanman auth | read only tls keyfile read list deleteprinter command ldap admin dn config file ldap debug threshold gpo update command defer sharing violations smb ports | blocking locks winbindd socket directory max wins ttl mangle prefix usershare allow guests wreplsrv:tombstone_interval set primary group script svcctl list acl group control wins proxy |

PLANING
Samba parameters
Traducción en wikimedia + UbuntuServer + Exposición.

Criterios de evaluación y calificación

| | (Tipo cal./ Max.) | | | (Tipo cal./ Max.) |
|--|-------------------|---|--|-------------------|
| (1) VM alojada 192.168.50.90 y dotada de un vdi de 8Gb | grupo (0.50) | (6) Aspecto y maquetación del contenido de la wiki. | | grupo (1.50) |
| (2) Admite login remoto con ssh y usuario root. | grupo (0.50) | (7) Traducción/transcripción trabajada con aportaciones propias del alumno. | | grupo (1.50) |
| (3) Es UbuntuServer sin incluir ningún perfil de software | grupo (0.50) | (8) Muestra un ejemplo de funcionamiento de al menos 2 parámetros. | | Indiv. (1.50) |
| (4) Funciona <i>wikimedia</i> apuntando sólo a la IP asignada. | grupo (0.50) | (9) Calidad, conocimiento y desenvoltura en la exposición. | | Indiv. (2.50) |
| (5) Funciona la indexación de contenidos. | grupo (0.50) | | | |

Hay que superar todos los apartados (1) a (5) para optar a los puntos de (6) a (10).

| IP/Internet port -> 80 | <u>Documento base para obtener información sobre los parámetros (no debe ser el único)</u> PARAMETERS | | |
|------------------------|---|---|--|
| 14/8014 | registry shares path enumports command workgroup nmbd bind explicit broadcast force security mode force unknown acl user kernel oplocks client ipc min protocol netbios name | map archive lock spin time winbind refresh tickets max mux clustering fake oplocks winsdb:local_owner usershare template share ldap suffix client plaintext auth | dfree cache time usershare prefix allow list max smbd processes wreplsrv:verify_interval dcerpc endpoint servers winbind enum groups ldap page size map hidden kernel change notify spoolss: os_major |
| 15/8015 | smb2 leases winbind sealed pipes passwd chat debug username map cache time preferred master read raw volume interfaces winbind offline logon server role | unix extensions cache directory case sensitive nt pipe support logon path algorithmic rid base oplocks ctdb timeout create mask mit kdc command | tls crlfiler min print space host msdfs ctdbd socket set quota command aio read size msdfs root administrative share idmap gid kpasswd port |
| 16/8016 | smb2 max read nsupdate command name cache timeout lpresume command max disk size raw NTLMv2 auth message command allocation roundup size wins hook local master | guest ok spotlight allow dcerpc auth level connect client use spnego principal ldap machine suffix log writeable files on exit winbind enum users wins support postexec smb2 max trans | add machine script server min protocol dont descend delete group script short preserve case ldap follow referral winbind reconnect delay wtmp directory server schannel password hash gpg key ids |

PLANING
Samba parameters
Traducción en wikimedia + UbuntuServer + Exposición.

Crterios de evaluaci3n y calificaci3n

| | <u>(Tipo cal./ Max.)</u> | | <u>(Tipo cal./ Max.)</u> |
|--|--------------------------|---|--------------------------|
| (1) VM alojada 192.168.50.90 y dotada de un vdi de 8Gb | grupo (0.50) | (6) Aspecto y maquetaci3n del contenido de la wiki. | grupo (1.50) |
| (2) Admite login remoto con ssh y usuario root. | grupo (0.50) | (7) Traducci3n/transcripci3n trabajada con aportaciones propias del alumno. | grupo (1.50) |
| (3) Es UbuntuServer sin incluir ning3n perfil de software | grupo (0.50) | (8) Muestra un ejemplo de funcionamiento de al menos 2 par3metros. | Indiv. (1.50) |
| (4) Funciona <i>wikimedia</i> apuntando s3lo a la IP asignada. | grupo (0.50) | (9) Calidad, conocimiento y deservoltura en la exposici3n. | Indiv. (2.50) |
| (5) Funciona la indexaci3n de contenidos. | grupo (0.50) | | |

Hay que superar todos los apartados (1) a (5) para optar a los puntos de (6) a (10).

| IP/Internet port -> 80 | <u>Documento base para obtener informaci3n sobre los par3metros (no debe ser el 3nico)</u> PARAMETERS | | |
|----------------------------------|--|--|--|
| 17/8017 | ldap delete dn hostname lookups reset on zero vc lsa over netlogon print command ldap timeout restrict anonymous add user script dns forwarder ctdb locktime warn threshold | security mask lprm command browseable nbtb:wins_wins_randomize1Clist template shell unix charset dos filetimes neutralize nt4 emulation allow dns updates kdc:service ticket lifetime | delete user script log level dmapi support winbind expand groups hide special files strict locking old password allowed period passwd program preexec close use sendfile |
| 18/8018 | ldap deref delete readonly disable netbios auto services use client driver socket options nt status support syslog directory security mask winbind request timeout | max xmit printable printcap cache time client NTLMv2 auth log nt token command server multi channel support kerberos method perfcoun module state directory ldap group suffix | cldap port idmap config DOMAIN : OPTION max print jobs acl map full control available passdb expand explicit config backend root preexec hide unwriteable files hide unreadable |
| 19/8019 | ldap idmap suffix logon script allow trusted domains wreplsrv:tombstone_timeout syslog only winbind rpc only server services smb2 max write debug hires timestamp tls verify peer | allow nt4 crypto queueresume command use mmap add user to group script allow insecure wide links wreplsrv:tombstone_extra_timeout server signing min wins ttl utmp directory ea support | force create mode template homedir require strong key cluster addresses dedicated keytab file ldap ssl winbind normalize names afs share smb passwd file veto files |

PLANING
Samba parameters
Traducción en wikimedia + UbuntuServer + Exposición.

Criterios de evaluación y calificación

| | <u>(Tipo cal./ Max.)</u> | | <u>(Tipo cal./ Max.)</u> |
|--|--------------------------|---|--------------------------|
| (1) VM alojada 192.168.50.90 y dotada de un vdi de 8Gb | grupo (0.50) | (6) Aspecto y maquetación del contenido de la wiki. | grupo (1.50) |
| (2) Admite login remoto con ssh y usuario root. | grupo (0.50) | (7) Traducción/transcripción trabajada con aportaciones propias del alumno. | grupo (1.50) |
| (3) Es UbuntuServer sin incluir ningún perfil de software | grupo (0.50) | (8) Muestra un ejemplo de funcionamiento de al menos 2 parámetros. | Indiv. (1.50) |
| (4) Funciona <i>wikimedia</i> apuntando sólo a la IP asignada. | grupo (0.50) | (9) Calidad, conocimiento y desenvoltura en la exposición. | Indiv. (2.50) |
| (5) Funciona la indexación de contenidos. | grupo (0.50) | | |

Hay que superar todos los apartados (1) a (5) para optar a los puntos de (6) a (10).

| IP/Internet port -> 80 | <u>Documento base para obtener información sobre los parámetros (no debe ser el único)</u> PARAMETERS | | |
|----------------------------------|--|---|---|
| 20/8020 | unicode nbttd:wins_prepend1Bto1Cqueries vfs objects idmap cache time add share command queuepause command printer name default devmode afs token lifetime client min protocol | timestamp logs hosts allow force group dos filetime resolution shutdown script force user rndc command usershare path cups connection timeout preexec | msdfs shuffle referrals guest only init logon delay reject md5 clients ldap debug level strict allocate ntlm auth ntvfs handler posix locking password hash userPassword schemes |
| 21/8021 | smbd profiling level map readonly idmap negative cache time browse list username map script follow symlinks client use spnego passwd chat timeout oplock break wait time wide links | client ipc signing ntp signd socket directory logon home ldapsam:editposix spoolss: os_build ldap user suffix panic action tls enabled disable spoolss change notify | fake directory create times print notify backchannel force printername winbind nss info rpc server dynamic port range stat cache rpc big endian ldapsam:trusted create krb5 conf client max protocol |
| 22/8022 | winbind max domain connections nbttd:wins_randomize1Clist_mask password server addport command max log size guest account acl allow execute always async smb echo handler directory mask include system krb5 conf | share:fake_fs caps utmp rpc_daemon:DAEMON private dir delete veto files hide files iprint server dfree command winbind use default domain winbind:ignore domains | addprinter command default case max reported print jobs winbind nested groups multicast dns register auth event notification binddns dir map system domain logons reject md5 servers |

PLANING
Samba parameters
Traducción en wikimedia + UbuntuServer + Exposición.

Criterios de evaluación y calificación

| | (Tipo cal./ Max.) | | (Tipo cal./ Max.) |
|--|-------------------|---|-------------------|
| (1) VM alojada 192.168.50.90 y dotada de un vdi de 8Gb | grupo (0.50) | (6) Aspecto y maquetación del contenido de la wiki. | grupo (1.50) |
| (2) Admite login remoto con ssh y usuario root. | grupo (0.50) | (7) Traducción/transcripción trabajada con aportaciones propias del alumno. | grupo (1.50) |
| (3) Es UbuntuServer sin incluir ningún perfil de software | grupo (0.50) | (8) Muestra un ejemplo de funcionamiento de al menos 2 parámetros. | Indiv. (1.50) |
| (4) Funciona <i>wikimedia</i> apuntando sólo a la IP asignada. | grupo (0.50) | (9) Calidad, conocimiento y desenvoltura en la exposición. | Indiv. (2.50) |
| (5) Funciona la indexación de contenidos. | grupo (0.50) | | |

Hay que superar todos los apartados (1) a (5) para optar a los puntos de (6) a (10).

| IP/Internet port -> 80 | <u>Documento base para obtener información sobre los parámetros (no debe ser el único)</u> PARAMETERS | | |
|------------------------|---|---|---|
| 23/8023 | preserve case netbios aliases ldap replication sleep force directory security mode idmap backend hide dot files copy enable core files dos charset store dos attributes | tls cafile eventlog list mangled names nbt client socket address enable asu support wins server afs username map tls dh params file lanman auth bind interfaces only | passdb backend os2 driver map tls priority ldap ssl ads fss: sequence timeout dns update command debug class client signing spoolss: architecture |
| 24/8024 | passwd chat map to guest root preexec close prefork children kdc:user ticket lifetime delete share command wreplsrv:periodic_interval name resolve order realm encrypt passwords | unix password sync ldap server require strong auth username map force directory mode mangling char ldap passwd sync cups options lm interval strict sync ldap connection timeout | enable privileges dos filemode logging kernel share modes debug uid deadtme domain master kerberos encryption types get quota command usershare max shares |
| 25/8025 | max ttl min receivefile size veto oplock files preload modules netbios scope large readwrite strict rename | idmap uid enable spoolss mangling method max open files enhanced browsing aio write behind writeable | aio write size client ldap sasl wrapping directory name cache size printing dgram port |