

Exam: 117-102 Title: General Linux, Part 2

Version: V-12

Note: Study the Questions and answers in this file before you take you final test. All material is very relevant and will help you achieve top scores.

For Updates and other information, log into the site and read latest news. For additional help, please use Contact page on website.

The ActualTests.com Team 2003

Note: Section A has 91 questions Section B has 108 questions. The total number of questions is 199.

Section A - Multiple Choice

QUESTION .1 On a default Linux system, what file system type does the dump command act upon?

A. Ext2

B. UFS

C. JFS

D. XFS

E. ReiserFS

Answer: A

QUESTION .2 Your machine has two working NIC's with proper addresses. You want to split your network into two new subnets. What single command will accomplish this?

A. ifconfig

B. route

C. default

D netstat

E. None of the choices

Answer: A

QUESTION .3 Which file system should never be backed up, and therefore never have to be restored? A. ufs

B. usr

C. tmp

D. home

E. swap

Answer: E

QUESTION .4 Which directory tree are you the least likely to backup or restore?

A. /tmp

B. /var

C. /proc

D. /usr

E /usr

Answer: C

QUESTION .5 What command will verify the syntax of a hosts.allow and hosts.deny file combination?

A. tcpdchk

B. verify --tcp

C. ipswitch

D. tcpdump

E. tcpdmatch Answer: A

QUESTION .6 How can you enable onscreen (non-printing) numbers in a vi session?

A. :set num B. :se nu C. :set -o number D. :set +o num E. None of the choices Answer: B

QUESTION .7 When starting vi with the file nohup.out, which of the following will enable onscreen numbers? A. vi +/set num nohup.out B. vi +"set nu" nohup.out C. vi /+"set number" nohup.out D. vi +":set num" nohup.out E. echo "set numb" | vi nohup.out Answer: B

QUESTION .8 What command will set a regular users password to force changing it every 60 days? Choose all that apply.

A. passwd -x 60 user1 B. chage -M 60 user1 C. passwd +x 60 user1 D. useradd -e 60 user1 E. usermod -f 60 user1 Answer: A, B

QUESTION .9 Which of the following commands will flush all print jobs on all configured queues of the system?

A. lprm -a all

B. lprm -all

C. lprm -a *

D. lpflush -all

Answer: A

QUESTION .10 Your /etc/passwd file appears to have approximately 1/2 shadow passwords and 1/2 standard unix

encrypted passwords. What utility would you most likely run again to fix this?

A. pwconv

B. passconvert

C. useradd -conv

D. pwhash

E. passwd -fix

Answer: A

QUESTION .11 Your server has two fully functional NIC's with correct IP configuration. The server is not forwarding traffic between the NIC's. Which command string will set the cards to forward properly? A. setparam 1 > /proc/sys/net/ipv4/ip_autoconfig B. echo 1 > /proc/sys/net/ipv4/ip_forward C. set \$=1 /proc/sys/net/ipv4/route D. cat \$1 > /proc/sys/net/ethernet E. vi +/1 /proc/sys/net/unix/max_dgram_qlen

Answer: B

QUESTION .12 Which of the following are valid commands to affect your system's printing?

A. lpq

B. lprm

C. lpstatus

D. lpr

E. lpio

Answer: A, B, D

QUESTION .13 What configuration file is used for settings and conversion parameters for the ftp daemon? A. ftpusers

B. ftpconvert

C. ftpconversions

D. in.ftpd

E. ftpdefaults

Answer: C

QUESTION .14 Which two commands share the same database for retrieving information?

A. whatis

B. whereis

C. apropos

D. find

E. man

Answer: A, C

QUESTION .15 What command will show only complete word matches for a search term?

A. whatis

B. apropos

C. locate

D. find

E. whereis

Answer: A

QUESTION .16 What command will show partial word matches for a search term?

A. apropos

B. locate

C. whereis

D. whatis

E. find Answer: A

QUESTION .17 What command is the functional equivalent of the command "man -k searchterm"?

A. apropos searchterm

B. whatis searchterm

C. locate searchterm

D. find / -name searchterm

E. None of the selections

Answer: A

QUESTION .18 What command is the functional equivalent of the command "man -f searchterm"?

A. what is search term

B. apropos searchterm

C. locate searchterm

D. find / -name searchterm

E. None of the selections

Answer: A

QUESTION .19 Where can you specify options that affect the booting of the system?

A. /etc/lilo.conf

B. boot= prompt

C. linux:

D. init 3

E. init 5

Answer: A, B

QUESTION .20 Which commands will print two copies of the file to the default printer? Choose all that apply. A. cat hosts | lpr -#2

B. lpr -K2 hosts

C. lpr -P -count 2 hosts

D. cat hosts > lpr; cat hosts > lpr

E. for 1 in 2 lpr hosts

Answer: A, B

QUESTION .21 On a default install of a Linux server, regardless of the distribution version, what are the easiest

methods to disable telnet, but not uninstall or remove the service? Choose two.

A. Comment telnet out of the /etc/inetd.conf file

B. Delete the /etc/rc.d/init.d/telnet file

C. Rename all SXXtelnet links in the /etc/rc or /etc/rc.d directories

D. Run "chmod 554 /etc/xinetd.d/telnet"

E. Nothing, it's not enabled by default

Answer: A, E

QUESTION .22 Which daemon or service can be configured as a non-root user?

A. cron

B. ntp

C. lpr

D. nmbd

E. slocate

Answer: A

QUESTION .23 Which of the following options will speed up traceroute for distant network queries?

A. -n

В. -р

C. -0

D. -t

E. **-**q

Answer: A

QUESTION .24 What command could you use to confirm function of a ppp connection before establishing it? A. minicom

B. hyperterminal

C. setserial

D. modemset

E. None of the choices

Answer: A

QUESTION .25 What file on a system contains a list of hosts that can't connect to the machine's services? A. /etc/hosts/denial

B. /etc/hosts.deny

C. /etc/host.notallow

D. /etc/inetd.conf

E. /etc/hosts.not

Answer: B

QUESTION .26 Which of the following IP address ranges are considered private, according to RFC 1918? Choose all that apply. A. 10.0.0.0 - 10.255.255.255 B. 192.168.0.0 - 192.168.255.255 C. 172.16.0.0 - 172.31.255.255 D. 191.168.16.0 - 192.168.31.255 E. 172.16.0.0 - 172.16.255.255 Answer: A, B, C

QUESTION .27 Which protocol is used for the majority of the ping command's actions? A. ICMP B. UDP C. TCP D. NDP E. NCP Answer: A

QUESTION .28 What modprobe option will cause inactive kernel modules to be unloaded?

A. autoclean

B. inactive

C. remove

D. timeout

E. holdoff

Answer: A

QUESTION .29 Select all of the protocols that are supported by the Linux implementation of ppp.

A. chap

B. mschap

C. pap

D. spap

E. eap

Answer: A, B, C

QUESTION .30 What command with options will cause the redirection symbol (>) to fail to overwrite the contents of an existing file?

A. set -o noclobber

B. set +o nooverwrite

C. export OVERWRITE=no D. alias >='!>'

E. None of the choices

Answer: A

QUESTION .31 Where can the lilo command install the boot menu and information? Choose all that apply. A. Master Boot Record

B. BIOS

C. First Sector of a Partition

D. BootBlk

E. Boot Prom

Answer: A, C

QUESTION .32 Which of the following is not a valid make command during a kernel recompile?

A. make dep

B. make clean

C. make xconfig

D. make modules

E. make gzlilo

Answer: E

QUESTION .33 Which parameters should appear in a valid /etc/printcap file to allow a local printer queue to point to another machine's print queue? Choose two.

Actualtests.com - The Power of Knowing

A. rm B. rp C. remoteip D. netprinter E. netip Answer: A, B

QUESTION .34 Which of the following commands will print the file putty on the printer hplaserj? Choose all that apply.

A. lpr -P hplaserj -F putty
B. lpr -Phplaserj putty
C. lpc printer=hplaserj file=putty
D. lpr -p hplaserj putty
E. lpr -P hplaserj putty
Answer: B, E

QUESTION .35 Which of the following services would you be least likely to configure to be governed over by the Internet Super Server?

A. ftp B. telnet C. ssh D. finger

D. Iingei

E. bind

Answer: C

QUESTION .36 What ppp option governs how long an interrupted connection will remain down before it attempts to reconnect?

A. holddown

B. holdoff

C. inactive

D. delay

E. wait

Answer: B

QUESTION .37 What files affect the functioning of TCP Wrappers? Choose Two.

A. /etc/hosts.deny

B. /etc/nsswitch.conf

C. /etc/security/authconfig

D. /etc/default/clients

E. /etc/hosts.allow

Answer: A, E

QUESTION .38 You are not using the WINS service on your network, but need to provide NETBIOS resolution to

your hosts. What is the name of the daemon that provides these services on a Linux server? A. nmbd

B. dns C. winsd D. lmhostsd E. smbd Answer: A

QUESTION .39 Select from the list below the daemons that are present on a standard Linux server to support routing. Choose all that apply.

A. gated B. ripd C. routed D. ospfd E. bgpd Answer: B, C, D, E

QUESTION .40 You are performing an onsite security inspection of division of your company. On an Apache server, you want to determine what files are needed and which can be removed from the /etc/httpd folder. Which of the following are possibly valid Apache confguration files? Choose all that apply.

A. httpd.conf

B. apached.conf

C. srm.conf

D. access.conf

E. in.http.conf

Answer: A, C, D

QUESTION .41 In order to allow a Win95 host to resolve the name of and map network drives to your Linux server, what services should be running? Choose Two.

A. nmbd

B. smbd

C. named

D. routed

E. winsd

Answer: A, B

QUESTION .42 What is the simplest method to connect a Win98 host to a Linux Server? Choose all that apply.

A. Velcro

B. Samba

C. NFS

D. DNS

E. WINS

Answer: A, B

QUESTION .43 What files affect the name resolution functionality of a Linux host? Choose Three.

A. /etc/resolv.conf

B. /etc/hosts

C. /etc/default/names D. /etc/nsswitch.conf E. /etc/inet/hosts Answer: A, B, D

QUESTION .44 What is true about the root user and NFS?

A. NFS shares don't allow root access by default

B. NFS automatically masks out share permissions

C. NFS automatically maps all root UID's to the local user "rootsquash"

D. NFS ignores all users with a UID of 0 and a GID of 0

E. NFS pays no attention whatsoever to security

Answer: A

QUESTION .45 Where are the default settings for the useradd command kept?

A. /etc/default/useradd

B. /etc/sysconfig/useradd.cfg

C. /etc/.useradd

D. /etc/defaults/useradd

E. /etc/login.defs

Answer: A

QUESTION .46 What two files acting together make up the login environment for a user on a default install of Linux?

A. /etc/profile B. /etc/bashrc C. /etc/.login D. ~/.bash_profile E. /etc/.profile Answer: A, D

QUESTION .47 What protocol will allow you to keep accurate time on your hosts?

A. ntp

B. nntp

C. ncftp

D. inn

E. ntime

Answer: A

QUESTION .48 What will the following line in the /etc/exports file do? /data snowblower(rw) badhost (ro) A. Give snowblower rw access to the data share, deny badhost any access, and allow ro for all other hosts B. Give snowblower rw access to the data share, give badhost ro access to share and deny all others C. Give snowblower no access to the data share, give badhost rw access and set ro access for all others D. Cause a syntax error

Answer: A

QUESTION .49 You've just finished editing a new entry in the /etc/exports file. Which of the following will cause the changes to take effect without interrupting current connected users or rebooting the machine? Choose all that apply.

A. exportfs -a B. /etc/rc.d/init.d/nfs restart C. service nfs restart D. kill -1 HUP nfs E. init 1 Answer: A

QUESTION .50 What system file contains definitions of well known ports, their associated services and protocols?

- A. /etc/services
- B. /etc/sysconfig/network-scripts
- C. /etc/services.conf
- D. /etc/inet/hosts
- E. None of the choices

Answer: A

QUESTION .51 What file should be edited to make the system aware of newly added library files?

A. /etc/modules.conf B. /etc/conf.modules C. /etc/ld.so.conf D. /etc/ld.so.cache E. /etc/LD_LIBRARY_PATH.conf Answer: C

QUESTION .52 What is the binary conversion of the IP address 192.168.1.10? A. 11000000.10101000.00000001.00001010 B. 01101010.11000100.10101000.00000001 C. 00000001.00001010.11000000 D. 10101000.00000001.00001010.11000000 E. None of the choices Answer: A

QUESTION .53 Your investigation of a system turns up a file that contains the line below: find /home -iname .rhosts -exec rm -f {} \; What is the purpose of this script? A. To enhance system security B. To remove all program error dumps C. To remove all temporary files in the user's home directories D. To reset the configuration for the rsh and rexec utilities Answer: A

QUESTION .54 What command will convert your shadow password file to md5 compatible passwords? A. passconv

B. pwconv C. mdconv D. mdsum E. passwd --convert Answer: B

QUESTION .55 Your machine's IP address used to function, but it's only got the localhost "lo" entry now. What three client-mode commands could you possibly use to get a new DHCP address?

A. dhcpd

B. ipconfig

C. dhclient

D. pump

E. dhcpcd

Answer: C, D, E

QUESTION .56 Which two services resolve Netbios names to IP addresses?

A. WINS

B. NetbiosSVC

C. smbd

D. nmbd

E. DNS

Answer: A, D

QUESTION.57 Which daemon allows Linux to share it's file systems and printers with unmodified Windows clients? A. X Window

B. nmbd

C. smbd

D. WINS

E. NFS

Answer: C

QUESTION .58 What configuration files on a Linux Server can be configured to share file systems with clients? Choose Two. A. /etc/nmbd

B. /etc/smbd C. /etc/smb/samba.conf D. /etc/smb.conf E. /etc/samba/smb.conf Answer: D, E

QUESTION .59 What command is used to monitor connections to the SMB server?

A. smbclient

B. testparm

C. smbstatus

QUESTION .60 Which of the following will run a file named myscript every 23 minutes past midnight every two hours?			
А.	23	0- 23/2	* * * /myscript
B.	23	*/0- 23	* * * /myscript
C.	23	@2	* * * /myscript
D.	11	2/0- 23	* * * /myscript

Answer: A

QUESTION .61 Which backup method resets the archive bit? Select all that apply.

A. Full

B. Incremental

C. Differential

D. Copy

E. DirTree

Answer: A, B

QUESTION .62 Which backup method will require the minimum tapes to restore?

A. Full

B. Incremental

C. Differential

D. Copy

E. DirTree

Answer: A

QUESTION .63 What is the command to map a Windows user ID to a Linux user ID for use with the Samba Server?

A. smbuser

B. smbpasswd

C. smbadduser

D. useraddsmb

E. useradd

Answer: C

QUESTION .64 When using the PPP daemon make a connection, what option is set to configure it to use hardware flow control?

A. crtscts

B. rsync

C. nsync

D. connect Answer: A

QUESTION .65 When using pppd which authentication protocol is the most secure?

A. clear text B. PAP C. CHAP D. LAP Answer: C

QUESTION .66 Your DNS server needs to be configured for speed and security. Choose the best answer.

A. Disable inetd, run named standalone, only allow tcp on ports 25 and 53

B. Disable inetd, run named standalone, only allow tcp on ports 25 and 110

C. Enable inetd, run named as an inetd service, only allow tcp on ports 25 and 53

D. Disable inetd, run named as a standalone on the apache server.

Answer: A

QUESTION .67 Shares can be configured for export via the NFS service by editing what file?

A. /etc/exports

B. /etc/export

C. /etc/exportfs

D. /etc/nfs/exports

Answer: A

QUESTION .68 A file exists on a server, but has no content. Users cannot submit jobs to an attached printer. Choose the correct file that must be edited to fix this problem.

A. /etc/hosts

B. /etc/hosts.allow

C. /etc/host.deny

D. /etc/hosts.lpd

E. /var/spool/hosts.lpd

Answer: D

QUESTION .69 What does "make bzImage" do as opposed to "make zImage"?

A. makes a bz encrypted kernel

B. makes a kernel with a better compression ratio

C. makes a kernel with built in gzip application

D. nothing

Answer: B

QUESTION .70 In the following output, which is representative of the host performing gateway functions? Destination Gateway Genmask Flags Metric Ref Use Iface 10.3.3.0 192.168.1.1 255.255.255.255 UGH 0 0 0 eth0 192.168.1.0 * 255.255.255.0 U 0 0 0 eth0 192.168.77.0 * 255.255.255.0 U 0 0 0 vmnet1 127.0.0.0 * 255.0.0.0 U 0 0 0 lo default 192.168.1.1 0.0.0.0 UG 0 0 0 eth0 A. The default gateway is on 192.168.77.0 network

- B. The current host is the also the default gateway
- C. Its eth0 interface is incorrectly configured
- D. The 192.168.1.1 is the default gateway

Answer: B

QUESTION .71 Select the files that are associated with TCP Wrappers. Choose all that apply.

- A. /etc/hosts
- B. /etc/hosts.allow C. /etc/hosts.deny
- D. /etc/allow.hosts
- E. /etc/allow.deny
- Answer: B, C

QUESTION .72 Which file is responsible for configuring the inet daemon?

A. /etc/inetd.conf B. /etc/xinetd.conf C. /etc/tcpd.conf D. /etc/inet.conf Answer: A

QUESTION .73 Which option in the /etc/fstab file causes all users IDs to be mapped to the system's anonymous ID when mounting a NFS mounted file system?

A. no-root-squash B. all-squash C. all-id-squash D. root-squash Answer: B

QUESTION.74 Which fstab option governs that all root ID are mapped to anonymous ID when mounting a NFS mounted file system?

- A. no-root-squash
- B. root-squash
- C. all-squash
- D. squash-root
- Answer: B

QUESTION .75 What command would load the module msdos.o and all its dependancies?

- A. modinfo -a msdos
- B. lsmod -a msdos
- C. modprobe msdos
- D. insmod -d msdos
- Answer: C

QUESTION .76 You have just added new modules to your system. What command would you execute to rebuild the modules.dep file? A. depmod --rebuild B. update-dependancies C. depmod -a D. insmod -dependancies Answer: C

QUESTION .77 Which port is used for DNS A. 110 B. 21 C. 23 D. 52 E. 53

Answer: E

QUESTION .78 Which ports are used for FTP data and control? Choose Two.

A. 20 B. 23 C. 22

D. 21

E. 25

Answer: A, D

QUESTION .79 What command would rebuild the ld.so.cache file

A. ldd

B. ldconfig C. ld.so.cache -rebuild D. ld

Answer: B

QUESTION .80 On a debian system which of the following would build a boot disk

A. mkboot /dev/floppy B. makeboot --device /dev/fd0 2.4.18-12 C. mkboot --device /dev/fd0 2.4.18-12

D. mkboot /boot/vmlinux-2.4.18-12

E. mkbootdisk /boot/vmlinux-2.4.18-12

Answer: D

QUESTION .81 What configuration file and directive will alter your apache server IP and or port that it listens to?

A. Port B. IPAddress C. Listen

D. MinSpareServers

Answer: C

QUESTION .82 What Apache directive must you change when using inetd to control your Apache server? A. ServerType

B. ServerInetdC. InetServerD. StartServerE. ServerMethodAnswer: A

QUESTION .83 Which Apache Directive specifies the location of the HTTP documents?

- A. RootDocument
- B. ServerRoot
- C. DocumentRoot
- D. RootServer
- E. DocPath
- Answer: C

QUESTION .84 What command can be used to shut down the Apache server gracefully

- A. apacheshut
- B. apachectl
- C. apachestop
- D. apachestart
- Answer: B

QUESTION .85 What is the recommended setting for StartServers in a medium sized Apache installation? A. 5

- B. 10
- C. 15
- D. 20
- Answer: B

QUESTION .86 Your server logfile shows repeated connections to TCP port 143, What service is being accessed?

- A. smtp
- B. imap
- C. pop3
- D. pop2
- E. nmbd
- Answer: B

QUESTION .87 To learn more about the management or ownership of a website, what's the best utility to use? A. tracert

- B. traceroute
- C. whois
- D. ping
- E. telnet
- Answer: C

QUESTION .88 You have a Linux system routing 3 networks through 3 separate NICs and are having trouble with your IP forwarding. What file would you check to ensure that IP forwarding is enabled? A. /etc/defaultrouter

B. /proc/net/tcp

C. /proc/sys/net/ipv4/ip_forward D. /var/log/messages

D. /vai/log/illessag

Answer: C

QUESTION .89 What command would cause a print job to be printed next regardless of its current position in the queue.

A. lpc topq B. lpc -t C. lpq -t D. lpc move E. lpq --next Answer: A

QUESTION .90 Which two files are responsible for allowing users to execute cron jobs?

A. /etc/cron.allow B. /var/spool/cron.allow C. /var/spool/cron.allow D. /etc/cron.deny Answer: A. D

QUESTION .91 What file must you create in your home directory in order to enable mail forwarding? A. B. C. D.

Answer:

Section B - Fill in the blank questions

QUESTION .1 What is the name of the Kernel configuration file? Type just the filename. Answer: config

QUESTION .2 What command with options and arguments will display the mail servers for lpi.org? Answer: dig lpi.org mx Alternative correct answer: dig lpi.org MX

QUESTION .3 Type the full path and name of the file whose global read bit you would change to deny normal users the ability to get useful information from the who and w commands? Answer: /var/run/utmp

QUESTION .4 What file would you edit to make the current user's vi session options always take effect?

Type the full path and filename. Answer: /.exrc

QUESTION .5 You boot a freshly installed system loaded with all the defaults, xdm loads and crashes, and the system halts. How can you force the system to multi-user text mode with networking from the LILO: or boot:

prompt?

Answer: linux 3 Q.6 What command with options will find all files on your system that have either the

SUID or GUID bits set? Type the exact command with options to accomplish this. Answer: find / -perm +6000

QUESTION .7 What is the file that contains the settings and conversion parameters for the ftp server? Type in the name of the file only. Answer: ftpconversions

QUESTION .8 What is the preferred documentation tool of the FSF? Type in the name of the tool only. Answer: info

QUESTION .9 What file or utility is used by normal users to configure the cron daemon? Type in the name of the tool only. Answer: crontab

QUESTION .10 What file with full path is used to set the location to query for hostname resolution outside of the local system? Answer: /etc/resolv.conf

QUESTION .11 To stop immediately a DDOS attack from 10.1.1.128, what can you do? Type the command with the necessary options and arguments. Answer: route add 10.1.1.128 lo

QUESTION .12 With a Class C address, and a subnet mask of 255.255.255.0, how many host addresses are assignable? Answer: 254

QUESTION .13 What command will most effectively track a network path problem? Answer: traceroute

QUESTION .14 What command will load groups of modules into the kernel as needed? Answer: modprobe

QUESTION .15 Which local system networking file binds a hostname to an IP address? Type the full path and name of the file. Answer: /etc/hosts

QUESTION .16 What program will determine basic connectivity to a remote host? Type just the name of the program. Answer: ping

QUESTION .17 What file on a remote host should be configured to allow your host to print to it's already functioning printers? Type the full path and name of the file. Answer: /etc/hosts.lpd

QUESTION .18 What file contains a list of shared directories on a Linux/Unix system? Type the full path and name of the file. Answer: /etc/exports

QUESTION .19 To find the port used by a particular known service, you would look in what file? Type the full path and name of the file. Answer: /etc/services

QUESTION .20 What command will flush all jobs on all print queues on a Linux system that uses the LPD daemon? Type the command with any options and arguments. Answer: lprm -a all

QUESTION .21 Your IP address is 1.2.3.3. Which command would add a default gateway using the network 1.2.3.4? Answer: route add default gw 1.2.3.4

QUESTION .22 What command would help you test if your ppp connection was functional? Type just the command name. Answer: minicom

QUESTION .23 Where are command line aliases defined for a user? Type the full path and name of the file for the currently logged in user. Answer: /.bashrc

QUESTION .24 What file do you configure to make changes to your smbd and nmbd daemons? Type the full path and name of the file. Answer: /etc/smb.conf Alternative correct answer: /etc/samba/smb.conf

QUESTION .25 After modifying /etc/exports, what must be done to make the modifications available to users? Type the command with any options and arguments. Answer: exportfs -a

QUESTION .26 To produce a compiled kernel with slightly better than standard compression, type the command with and any options and arguments to accomplish just the compilation? Answer: make bzImage

QUESTION .27 What command will insert a single "!" symbol in from of the encrypted password in the system's shadow file? Type the command with any options and arguments. Answer: usermod -L passwd -l

QUESTION .28 What is the exact, case-sensitive option that governs flow-control for the ppp daemon?

Answer: crtscts

QUESTION .29 What file is used to deny hosts access to a system's printers? Type the filename including full path. Answer: /etc/hosts.lpd

QUESTION .30 What command with switches allows you to set the defaults for the useradd command? Type the command with any options and arguments. Answer: useradd -D

QUESTION .31 What file is used in recent apache distributions to configure the service? Type the full path and name of the file. Answer: /etc/httpd.conf Alternative correct answer: /etc/httpd/httpd.conf QUESTION .32 What commands with any options, will cause sendmail to recognize newly added aliases while it's running? Answer: sendmail -bi Alternative correct answer: newaliases

QUESTION .33 In what file can you configure your name server resolution queries to use the localhost first? Type the full path and name of the file. Answer: /etc/nsswitch.conf

QUESTION .34 When you execute the "ls" command, you suspect an alias is set for the command, how can you just execute the command? Type the exact string that will accomplish this? Answer: \ls

QUESTION .35 In what directory does undelivered remote mail get stored in? Type the full path and name of the file. Answer: /var/spool/mqueue

QUESTION .36 Which utility is used to create or update the modules.dep file? Type the command only. Answer: depmod

QUESTION .37 What command can you use to determine the users connected to a Linux ftp server? Type just the command to accomplish this. Answer: ftpwho

QUESTION.38

What file is used to define a list of users that may NOT login to via the ftp daemon? Type just the name of the file. Answer: ftpusers

QUESTION .39 To change your Ethernet interface eth0 to the IP address 10.4.4.100 with a default class C subnet mask, type the full command string to accomplish this. Answer: ifconfig eth0 10.4.4.100 netmask 255.255.255.0

QUESTION .40 You are running a Red Hat machine. You have added a 2nd NIC to your machine and rebooted it.

The card is detected in the BIOS but is not configured along with the eth0 interface upon network start. A

file must be created to allow this interface to function. Type the full path and name of the file. Answer: /etc/sysconfig/network-scripts/ifcfg-eth1

QUESTION .41 Undelivered mail for local system users is stored in what directory? Type the full path of the directory. Answer: /var/spool/mail/username

QUESTION .42 What section of the Man pages are system administration commands in? Type the numeral of the section.

Answer: 8

QUESTION.43

What section of the Man pages are system files mentioned in? Type the numeral of the section. Answer: 5

QUESTION.44

What command will display the active connections and Unix domain sockets for a running Linux machine with networking configured? Type just the command to accomplish this. Answer: netstat

QUESTION.45

Converting from the inetd to xinetd services requires populating entries in what file, including the full path and name? Answer: /etc/xinetd.conf

QUESTION.46

You have a job schedueled to run at 16:30 using the AT schedueler. When you type atq it displays the following information [root@localhost root]# atq 2003-03-14 16:00 a root [root@localhost root]# Type in the command to remove only this job. Answer: atrm 2

QUESTION .47 What command will show pending jobs that will be executed once on a given date and time? Type just the command to accomplish this. Answer: atq

QUESTION .48 The last command functionality needs what log file to be present to operate properly? Type the full path and name of the file. Answer: /var/log/wtmp

QUESTION .49 Where should you put the .pinerc file so that all new users get it as part of their initial creation? Type the full path of the directory. Answer: /etc/skel

QUESTION .50 What command with options will show you the contents with associated pathnames of an archive file named archive.tar.gz? The file must not be unpacked with the command string. Type the full command string to accomplish this. Answer: tar -tzvf archive.tar.gz Alternative correct answers: tar tzvf archive.tar.gz tar zxvf archive.tar.gz

QUESTION .51 On a Red Hat system, with a single floppy drive and a returned output from the uname command of 2.4.20-12, what exact command string will create a customized boot disk for this system? Type the full command string to accomplish this. Answer: mkbootdisk --device /dev/fd0 2.4.20-12

QUESTION .52 On a Debian-based system, what command will create a boot disk on the first floppy if your kernel image is named "vmlinux-2.4.18-4"? Type the full command string to accomplish this. Answer: mkboot vmlinux-2.4.18-4 Alternative correct answer: mkboot /boot/vmlinux-2.4.18-4

QUESTION .53 You need to view the hardware address and IP address information for all of your configured and active interfaces. Type the simplest command string that will accomplish this. Answer: ifconfig

QUESTION .54 What command will most effectively send a list of certain files from a directory to the tar or cpio command? Type just the command name. Answer: ls cat

QUESTION .55 On your system exists a file that is described as a map file that is used to update the MBR or first

sector of the partition with the appropriate booting information. Type the full path and name of the file.

Answer: /etc/lilo.conf

QUESTION .56 In the /etc/resolv.conf file are entries that describe where DNS queries can resolve names to IP addresses. Given a DNS server with an IP address of 192.168.33.254, type the exact entry that should appear in this file. Answer: nameserver 192.168.33.254

QUESTION .57 Your IP address is 170.35.13.28 and your network mask is 255.255.255.192. What host IP address is NOT a part of your local subnet? A. 170.35.13.33 B. 170.35.13.88 C. 170.35.13.62 D. 170.35.13.55 Type in just the letter of the answer. Answer: B Alternative correct answer: b

QUESTION .58 Type in the simplest command to display the previous and current run level? Answer: runlevel

QUESTION .59 When booting your system, you beleive you saw an error message go by too quickly to see. Type in the command that will show the last system bootup messages. Answer: dmesg

QUESTION .60 You are in run level 5 and wish to change to run level 1. Type in the simplest command to do this? Answer: init 1 Alternative correct answers: init s init S

QUESTION .61 The dmesg command outputs information from which file, inlcude full path? Answer: /var/log/dmesg

QUESTION .62 Which process has a PID of 1. Type in the process name? Answer: init

QUESTION .63 What is the name of the file and location that governs what run level is to be booted to on startup. Give full path and file name Answer: /etc/inittab

QUESTION .64 You wish to list out in text all the daemons running and stopped on your system for all run levels. Type in the simplest command Answer: chkconfig --list

QUESTION .65 You wish to change the daemons that start at a run level 3. Type in the command that would give a text menu based application to set the daemons for this runlevel Answer: ntsysy --level 3

QUESTION .66 You wish to add the user luke to the system including his home directory. Type in the simplest command to do this including switches Answer: useradd -m luke

QUESTION .67 You wish to remove the user stef from the system, including his home directories. Type in the simplest command to do this? Answer: userdel -r stef

QUESTION .68 User rick has been suspended from your company and you wish to lock his account to stop anyone using it. Type in the simplest command to do this. Answer: usermod rick -L Alternative correct answer: passwd -l rick

QUESTION .69 User luke has been exiled to the marketing department who has a group name mktg. You now wish to change the primary group for the user luke to the mktg group. Type in the simplest command to do this? Answer: usermod -g mktg luke

QUESTION .70 Your user matt has forgotten his passwd and you wish to reset it. Type in the command line to change his password. You are currently logged in as root. Answer: passwd matt

QUESTION .71 What is the full path and file name of the file that contains the configuration files for system logging? Type in full path and file name. Answer: /etc/syslog.conf

QUESTION .72 You wish to list the contents of your crontab. Type in the simplest command to do this.

Answer: crontab -l

QUESTION .73 You wish to make changes to your crontab entry. Type in the simplest command to make this change? Answer: crontab -e

QUESTION .74 You wish to archive and compress all the files in your home directory starting with the word projects into a file called myprojects.tar.gz. You are currently in your home directory. Type in the command that would do this? Answer: tar -czf myprojects.tar.gz projects* Alternative correct answers: tar czf myprojects.tar.gz projects* tar zcf myprojects.tar.gz projects*

QUESTION .75 You have a tarball called myprojects.tar.gz and you wish to view the permissions and ownership of its contents without unpacking it. Type in the simplest command to do this. Answer: tar -tzvf myprojects.tar.gz Alternative correct answers: tar tvzf myprojects.tar.gz tar zvtf myprojects.tar.gz tar ztvf myprojects.tar.gz

QUESTION .76 Type in the command to list your current kernel version, including any switches. Answer: uname -a Alternative correct answer: uname -r

QUESTION .77 You wish to install the module fat.o into the kernel. Type in the simplest command to do this.

Assume there are no dependancies for this module. Answer: insmod fat

QUESTION .78 You wish to remove a module from the kernel called fat. Type in the simplest command to do this.

Assume this module has no dependancies. Answer: rmmod fat

QUESTION .79 Type in the simplest command to list all loaded modules? Answer: lsmod

QUESTION .80 You wish to get infomation on a module called msdos.o. Type in the simplest command that would list all information including author and description for the module. Answer: modinfo msdos

QUESTION .81 You have a module called msdos.o which has a dependancy on fat.o. What single command will load msdos.o and its dependant fat.o module in one command line? Answer: modprobe msdos

QUESTION .82 Type in the simplest command, including any switchs, to rebuild the modules.dep file after you have made changes to the modules.conf file. Answer: depmod -a

QUESTION .83 You are using X and wish to build a new kernel. What X tool would you use to build the .config file. Type in just the command, not switches. Answer: make xconfig

QUESTION .84 You have made changes to your /etc/lilo.conf file. Type in the simplest command that will reload the configuration to the MBR. Answer: lilo

QUESTION .85 Type in the command to compile a kernel image with normal compression. Answer: make zImage

QUESTION .86 Type the command to check the syntax and contents of the smb.conf file. Answer: testparm

QUESTION .87 Type in the command to monitor connections to Samba. Answer: smbstatus

QUESTION .88 Type in the name and full path to the network configuration file that defines the search order for name resolution. Answer: /etc/nsswitch.conf **QUESTION** .89 Type in the name of the file including path of the static host name to IP address configuration file. Answer: /etc/hosts

QUESTION .90 Type in the name and full path to the config file that contains the IP address of DNS servers for hostname resolution. Answer: /etc/resolv.conf

QUESTION .91 You need to access the site for HOWTO's, Guides and mini HOWTO's. Type in the full URL as it would appear in any browser, including the protocol. Answer: http://www.linuxdoc.org Alternative correct answer: http://www.tldp.org

QUESTION .92 Type in the command that is equivalent to man -k. Answer: apropos

QUESTION .93 Type in the command that is equivalent to man -f. Answer: whatis

QUESTION .94 You wish to restart the network daemon on a Redhat Server. Type in the command and any

arguments that to accomplish this without using any absolutes pathnames. Answer: service network restart

QUESTION .95 You wish to restart both Samba daemons. Type in the command and any arguments that to accomplish this without using any absolutes pathnames.

Answer: service smb restart

QUESTION .96 Type in the file and full path to the configuration file for the Sytem logging daemons.

Answer: /etc/syslog.conf

QUESTION .97 You have just downloaded an application called rdesktop from the internet. The file downloaded is

named rdesktop.tar.gz.

Type in the simplest command to decompress and untar this file into the current directory.

Answer: tar -zxf rdesktop.tar.gz

Alternative correct answer: tar zxf rdesktop.tar.gz

QUESTION .98 Type in the full path and name of the global environment and startup program configuration file.

This file typically contains the PATH, umask and ulimit system wide settings. Answer: /etc/profile

QUESTION .99 A user wishes to modify his Environment variable PATH, WHat file should you tell him to edit in his home directory. Give filename only, no path. Answer: .bash_profile

QUESTION .100 Type in the name of the samba daemon that is responsible for WINS names resolution Answer: nmbd

QUESTION .101 Type in the name of the samba daemon that is responsible for printer and file sharing? Answer: smbd

QUESTION .102 Type in the name of the file including full path that holds contains a daily message viewed by users when they log in? Answer: /etc/motd

QUESTION .103 Type in the name of file and full path to the file that holds a message for remote users about possible system outages. Answer: /etc/issues.net

QUESTION .104 You wish to change you network settings permanently using a text/graphical tool. Type in the command to start this tool? Answer: netconfig

QUESTION .105 What is the command to check the syntax of your /etc/inetd.conf? Answer: tcpdchk

QUESTION .106 What command would be used to check the gpgp signature on a downloaded source file? Type just the name of the command. Answer: gpg

QUESTION .107 What command was typed in to produce the output shown below. The entries shown are the full output of the command, less the actual command. Type the command and the options to reproduce similar output. **USER PID %CPU** %MEM VSZ RSS TTY STAT START TIME COMMAND root 394 0.0 0.0 1200 444 tty1 S 01:05 0:00 /sbin/getty 38400 tty1 root 396 0.0 0.0 1200 444 tty3 S 01:05 0:00 /sbin/getty 38400 tty3 root 397 0.0 0.0 1200 444 tty4 S 01:05 0:00 /sbin/getty 38400 tty4 root 398 0.0 0.0 1200 444 tty5 S 01:05 0:00 /sbin/getty 38400 tty5 root 399 0.0 0.0 1200 444 tty6 S 01:05 0:00 /sbin/getty 38400 tty6 root 423 0.0 0.0 1200 444 ttv2 S 01:06 0:00 /sbin/getty 38400 ttv2 root 426 0.2 0.3 2880 1964 pts/0 S 01:07 0:00 -bash Answer: ps -au

QUESTION .108 You wish to execute the ls command but it appears to be aliased. What is the easiest way of execute the orignal ls command without the alias? Answer: \ls Note: Section A has 91 questions Section B has 108 questions. The total number of questions is 199.